

Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: MERPIN 6007 N

· Article number: 601009

- · Relevant identified uses of the substance or mixture and uses advised against .
- · Application of the substance / the mixture Auxiliary
- · Uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Carpetex Lederhilfsmittel GmbH

Am Selder 25 D-47906 Kempen GERMANY

Tel.: 02152 8999 55 Fax: 02152 51 67 51

E-Mail: info@carpetex.com

- · Further information obtainable from: Safety and health group
- · Emergency telephone number:

Giftinformationszentrum Nord 24h-Auskunft: +49 551 19240 This number is serviced during office hours: +49 2152 8999 55

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure: Oral.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Diethanolamine protein hydrolyzates

(Contd. on page 2)



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure: Oral.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description: aqueous solution

· Dangerous components:		
CAS: 111-42-2	Diethanolamine	10-<25%
EINECS: 203-868-0 Index number: 603-071-00-1 Reg.nr.: 01-2119488930-28	STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	ζ.
CAS: 92113-31-0 EINECS: 295-635-5	Collagens, hydrolyzates	2.5-<10%

· Additional information:

CAS 92113-31-0 - natural polymer, untreated or chemically modified For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Seek medical treatment.

Rinse mouth.

Do not induce vomiting.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

 Indication of any immediate medical attention and special treatment needed Risk of aspiration.

ΕU



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Organic decomposition products

Carbon oxides (COx)

Nitrogen oxides (NOx)

- · Advice for firefighters
- · Protective equipment: Use suitable breathing apparatus if necessary.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

Avoid contact with the eves and skin.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Wear protective clothing.

Do not eat, drink or smoke in working area.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: Combustible liquid.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 3)

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

· DNELs		
111-42-2	Diethanolamine	
Oral	DNEL (Long-term, systemic effects)	0.06 mg/kg/d (consumer)
Dermal	DNEL (Long-term, systemic effects)	0.13 mg/kg/d (worker)
		0.07 mg/kg/d (consumer)
Inhalative	DNEL (Long-term, systemic effects)	1 mg/m³ (worker)
		0.25 mg/m³ (consumer)

· PNECs

111-42-2 Diethanolamine

PNEC 0.0022 mg/l (fresh water)

0.00022 mg/l (seawater)

100 mg/l (wastewater treatment plant)

PNEC 0.019 mg/kg (Sediment (Süßwasser))

0.0019 mg/kg (sediment) 0.00108 mg/kg (soil)

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

The recommended specification of the protective clothing articles is to be chosen according to the duration of the exposition, the concentration and the amount of the dangerous substances at the working environment. Seek advice of the suppliers.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter P2

· Protection of hands:



Protective gloves

· Material of gloves

e.g. Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

Minimum breakthrough time: > 120 min (Permeation according to EN 374 Part 3: level 4)

· Eye protection:



Tightly sealed goggles (EN 166).

· Body protection: Protective work clothing



Version number 3 Printing date 14.09.2017 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid Colour: Clear Yellow Amine-like · Odour: · Odour threshold: Not determined.

 pH-value (100 g/l) at 20 °C: 10.5-11.5

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 100 °C

Undetermined. · Flash point:

Not applicable. · Flammability (solid, gas):

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

· Evaporation rate

Lower: Not determined. Upper: Not determined. like water

· Vapour pressure:

· Density: 1.035 g/cm³ (25 °C) · Relative density Not determined. · Vapour density Not determined.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Product is an emulsifier.

· Viscosity:

Dynamic: 3.8 mPas (25 °C) Kinematic: Not determined.

 Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity Product is stable under normal ambient conditions.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

The classification was carried out according to the calculation method described in section 3.1.3.6.1, Annex 1 of the VO1272/2008

Oral LD50 >2000 mg/kg (--)

111-42-2 Diethanolamine

Oral LD50 ca. 1600 mg/kg (rat)
Dermal LD50 12970 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation No sensitising effects known.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity no data
- · Carcinogenicity no data
- · Reproductive toxicity no data
- · STOT-single exposure no data
- · STOT-repeated exposure

May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard no data

12 Ecological information

· Toxicity

· Aquatic toxicity:

111-42-2 Diethanolamine

EC50 2.2 mg/l (alga) (96h / Pseudokirchneriella subcapitata) 55 mg/l (daphne) (48h / daphnia magna)

EC20 >1000 mg/l (microorganisms) (0,5h / OECD 209)LC50 1460 mg/l (fish) (96h / Pimephales promelas)

chronic NOEC / ECx | 0.78 mg/l (daphne) (21d / OECD 202)

· Persistence and degradability

readily biodegradable

Component: 2.2'-Iminodiethanol - CAS: 111-42-2

Degradation rate ca. 93% Time (d) 28 days Method OECD 301 F

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Waste disposal key:

Determine wastes code in compliance with local waste management company according the European Waste Catalogue (EWC).

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

4 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
Environmental hazards:Marine pollutant:	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

(Contd. on page 8)



Printing date 14.09.2017 Version number 3 Revision: 14.09.2017

Trade name: MERPIN 6007 N

(Contd. of page 7)

H318 Causes serious eye damage.

H373 May cause damage to the kidneys, the liver and the blood through prolonged or repeated exposure. Route of exposure: Oral.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Safety and Health group
- · Contact: Markus Hoffmann
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

FU